

In order to learn which questions have been answered correctly:

1. Print these pages.
2. Answer the questions.
3. Send this assessment with the answers via:
 - a. FAX to (212) 967-3498.

Or

- b. Mail the answers to the following address:

**SYS-ED
PO Box 1213
New York, NY 10156**

Client contact:

Name:	
Company:	
Address:	
City, State, Zip:	
Phone Number:	
Fax Number:	
E-mail:	

QNO	Question	Answer
1.	<p>The IEBCOMPR utility can be used for comparing whether data sets are equal when which of the following conditions apply:</p> <ul style="list-style-type: none"> a. Corresponding members contain the same number of records. b. Corresponding records and keys are identical. c. Corresponding directory user data fields are identical. d. A and B. e. A, B and C. 	
2.	<p>The COMPARE statement in the IEBCOMPR utility is used:</p> <ul style="list-style-type: none"> a. to indicate the fields to be compared. b. to indicate the organization of the data sets you want to compare. c. to specify the comparison technique. d. to list the exits routines. e. none of the above. 	
3.	<p>IEBCOPY is a utility that cannot:</p> <ul style="list-style-type: none"> a. Make a copy of a partitioned data set or PDSE. b. Merge partitioned data sets. c. Create a sequential form of a partitioned data set or PDSE for a back up or transport. d. Delete multiple members in a PDS. e. Select specific members of a partitioned data set or PDSE to be copied, loaded, or unloaded. 	
4.	<p>A partitioned data set will contain unused areas where a deleted member or the old version of an updated member once resided. The which utility can be used to reclaim unused space:</p> <ul style="list-style-type: none"> a. IEBCOPY b. IEBCOMPRESS c. IEHCOMPRESS d. IEBGGENER e. None of the above. 	
5.	<p>COPY OUTDD=B,INDD=A control statement in the IEBCOPY will:</p> <ul style="list-style-type: none"> a. Copy dataset A to dataset B. b. Copy the data in DD A to a data set in DD B. c. Compress dataset A into dataset B. d. Display a syntax error. e. Result in an error because it is an invalid statement. 	
6.	<p>To specify that a member is not to be copied use the:</p> <ul style="list-style-type: none"> a. EXCLUDE statement. b. OMIT statement. c. LIST statement. d. BYPASS statement. e. None of the above 	

QNO	Question	Answer
7.	<p>The IEBDG is a data set utility used to:</p> <ul style="list-style-type: none"> a. Generate debugging information in a load module. b. Provide a pattern of test data to be used as a programming debugging aid. c. Generate entries for a generation data group. d. Create BDG entries. e. None of the above. 	
8.	<p>IBM supplies all of the following IEBDG pattern except</p> <ul style="list-style-type: none"> a. Alphanumeric b. Alphabetic c. Zoned decimal d. Packed decimal e. Boolean 	
9.	<p>IEBGENER can be used to:</p> <ul style="list-style-type: none"> a. Create a backup copy of a sequential data set, a member of a partitioned data set or PDSE. b. Produce a partitioned data set or PDSE, or a member of a partitioned data set or PDSE, from a sequential data set. c. Produce an edited sequential or partitioned data set or PDSE. d. Reblock or change the logical record length of a data set. e. All of the above. 	
10.	<p>IEBGENER can use all the following control statements except:</p> <ul style="list-style-type: none"> a. GENERATE b. SELECT c. LABELS d. RECORD e. MEMBER 	
11.	<p>In IEBGENER, the control statements:</p> <ul style="list-style-type: none"> a. Uses a continuation line that must start in columns 4 to 16. b. Must start all statements in column 16. c. Sequence number are placed in column 1-6. d. Can contain a # in column 1 to represent a comment is on the entire line e. None of the above. 	
12.	<p>Which of the following utilities would print a directory of a partitioned data set or PDSE.</p> <ul style="list-style-type: none"> a. IEBGENER b. IDCAMS c. IEBDG d. IEBLISTDIR e. None of the above. 	
13.	<p>The following is not a control statement in IEBPTPCH:</p> <ul style="list-style-type: none"> a. PRINT b. TITLE c. MEMBER d. REPORT e. RECORD 	

QNO	Question	Answer
14.	<p>Which utilities can list up to 10 partitioned data set or PDSE directories at a time.</p> <p>a. IEBGENER b. IEBDG c. IEHLIST d. IEHDIR e. None of the above.</p>	
15.	<p>To scratch (delete) a data set or a member of a partitioned data set use the following utility.</p> <p>a. IEBGENER b. IEHPROGM c. IEFBR14 d. IEDBG e. None of the above.</p>	
16.	<p>To rename a data set or a member of a partitioned data set use the following utility.</p> <p>a. IEBGENER b. IEHPROGM c. IEFBR14 d. IEDBG e. None of the above.</p>	
17.	<p>VSAM datasets can be created with the following utility:</p> <p>a. IDCAMS b. IEHPROGM c. IEFBR14 d. VSAM-CREATE e. None of the above.</p>	
18.	<p>To build an index in a CVOL for a generation data group and define what action should be taken when the index overflows; use the control statement:</p> <p>a. BLDG b. INDEX c. OVERFLOW d. DEFINE e. None of the above.</p>	
19.	<p>In IEHPROGM, the RENAME statement is used to change the true name or alias of a data set or member residing on a DASD volume. If you do not code the MEMBER parameter:</p> <p>a. the entire data set is renamed. b. a syntax error is generated. c. a list of members is generated. d. A and C. e. None of the above.</p>	

QNO	Question	Answer
20.	The REPRO control card is used in which utility: a. IEHPROGM b. IEBGENER c. IDCAMS d. IEBDG e. None of the above.	