

In order to learn which questions have been answered correctly:

1. Print these pages.
2. Answer the questions.
3. Send this assessment with the answers via:
  - a. FAX to (212) 967-3498.

Or

- b. Mail the answers to the following address:

**SYS-ED  
PO Box 1213  
New York, NY 10156**

Client contact:

<b>Name:</b>	
<b>Company:</b>	
<b>Address:</b>	
<b>City, State, Zip:</b>	
<b>Phone Number:</b>	
<b>Fax Number:</b>	
<b>E-mail:</b>	

QNO	Question	Answer
1.	In order to embed PL/SQL in HTML use:  a. JavaScript b. Perl c. PSP d. VBA e. None of the above.	c
2.	A framework which supports the logic behind building web applications is:  a. CVS b. STRUTS c. PSP d. OC4J e. a, b and c.	b
3.	The highest level container within JDeveloper is called:  a. Application Workspace b. Frameset c. Project d. Complex Entity e. None of the above.	a
4.	JDeveloper IDE is written in:  a. c b. c++ c. assembler d. Propriety language e. None of the above.	e
5.	The executable file to start JDeveloper is:  a. jdevel b. jdevw c. dev d. jdevhome e. borandj	b
6.	In order to modify and configure the IDE:  a. Run config.exe b. Select tools and preference c. Edit the config.xml d. Run jdev /config e. c and d.	b
7.	In order to display hints on how to improve code, use:  a. F1 on the code. b. CodeCoach c. Click help and code tips d. Right click on code. e. Select code and press Ctrl-H	b

QNO	Question	Answer
8.	To modify source code by comment or uncommenting a number of lines use:  a. CTRL / b. Source menu c. CTRL \$ d. Press Tool, Options and Comment e. a and b.	e
9.	The _____ tool solves the problem of renaming a class that has dependent classes:  a. RENAME b. REFACTOR c. RESET d. REDO e. COMPILE	b
10.	The utility that allows SQL to be entered and run is:  a. ISQL b. SQL c. SQL Worksheet d. SPUFI e. None of the above.	c
11.	In order to display a particular navigator use the:  a. CTRL N b. Press File, Navigator menu c. Right Click, press Navigator menu d. Press view menu e. a or b.	d
12.	If Erase from Disk has been selected for an application workspace or project that has a dedicated directory, JDeveloper will:  a. Remove the workspace or the project file. b. Not remove the directory or files in the directory. c. Delete all files and directories. d. Flag all files for deletion. e. a and b.	e
13.	The file name and the path are displayed:  a. In the window title bar when in the editor. b. In the status bar when the file node is clicked in the navigator. c. In a tool tip when the mouse is held over the file node in the navigator. d. a and b. e. a, b and c.	e
14.	In order to add an external editor to the IDE:  a. Click on file and add editor. b. Click on tools and options. c. Right click on code editor and press add tools. d. a, b or c. e. None of the above.	e

QNO	Question	Answer
15.	In JDeveloper 10g, which UML modeler(s) are included:  a. Class Diagram b. Activity Diagram c. Use Case Diagram d. a and b. e. a, b and c.	e
16.	Which of the following non-UML modeler(s) are included with JDeveloper 10g:  a. XML Schema Editor b. Struts Page Flow Diagrammer c. JSP Diagrammer d. a and b. e. a,b and c.	d
17.	ADF is based on the J2EE design pattern:  a. OC b. ALC c. MVC d. BC4J e. a and b.	c
18.	Which of the following business services are not supported by ADF:  a. EJB b. Web Services c. ADF Business Components d. Java Classes e. They are all supported.	e
19.	Accessors are also called:  a. Getters and setters b. Select c. Retrieve d. Regain e. a and b.	a
20.	In Java, a field can be defined as being non changeable. The keyword to define it as a constant is:  a. const b. static c. final d. constant e. global	c
21.	In Java, a _____ is like a PL/SQL package specification because it lists method signatures and constants without any method body code.  a. Constructor b. Interface c. Prototype d. Function Evaluator e. a or b.	b

QNO	Question	Answer
22.	A jar is used:  a. For holding all files to deploy a EJB. b. As a repository for application or support code. c. For containing J2EE control information. d. a and b. e. a, b and c.	d
23.	The file for standard J2EE deployment is a:  a. EAR b. WAR c. JAR d. TAR e. None of the above.	a
24.	In order to use JDeveloper for deploying an application, create a:  a. Deployment profile file b. config.xml c. deploy.xml d. a, b and c. e. None of the above.	a
25.	ADF BC is the simplest way to develop data aware applications because:  a. Automatic implementation of J2EE Blueprints. b. Hooks for Business logic. c. Deployment configuration independence. d. a and b. e. a, b and c.	e
26.	In ADF BC, what is not in the Data Model Components?  a. View Objects Definitions b. View Link Definitions c. Application Module Definitions. d. Associations. e. All are in the Data Model Components.	d
27.	An entity object definition typically represents:  a. A database table/view b. Hash Table c. Array list d. Connection e. None of the above.	a
28.	An association is implemented as:  a. a class b. an XML file c. a deployment descriptor d. a link e. None of the above.	b

QNO	Question	Answer
29.	Entity object definitions are handled by classes in the ADF BC library. Which is not a class for entity object definitions?  a. oracle.jbo.server.EntityAssociation b. oracle.jbo.server.EntityImpl c. oracle.jbo.server.EntityDefImpl d. oracle.jbo.server.EntityCache e. They are all classes for entity object definitions.	a
30.	A java object in the ADF model layer that provides access for a single page or form in an ADF application is called:  a. Data Control b. Link c. Binding Container d. Association e. None of the above.	c
31.	The component Palette provides the following components except:  a. AWT b. ASP c. Swing d. Swing Containers e. JClient	b
32.	A layout manager instance is a separate object built from a layout manager class. A container:  a. Contains multiple layout manager instances. b. Holds other objects. c. Cannot be used in a layout manager. d. a and b. e. a, b and c.	b
33.	Which layout allows the programmer to arrange child components using X,Y coordinates:  a. Grid b. Border c. Card d. null e. None of the above.	d
34.	The layout style that is often used where edges are needed is:  a. GridLayout b. BorderLayout c. TableLayout d. BoxLayout e. None of the above.	b

QNO	Question	Answer
35.	The layout that arranges components in a row is:  a. GridLayout b. BorderLayout c. FlowLayout d. BoxLayout e. None of the above.	c
36.	The layout that allows multiple components to be placed in the container and then sized proportionally is:  a. OverlayLayout b. PaneLayout c. GridLayout d. a and b. e. None of the above.	b
37.	A Struts action is:  a. An event b. A tag used to change control in an application c. A business component d. a and b. e. a, b and c.	b
38.	The file where all of the Struts action tags, form bean tags and message resource tags are defined is called:  a. config.xml b. struts.xml c. struts-config.xml d. struts-tag.xml e. None of the above.	c
39.	When running JSP under JDeveloper, which server runs the JSP code?  a. Oracle Application Server b. Embedded OC4J Server c. Apache d. Tomcat e. None of the above.	b
40.	In order to quickly build and modify the struts configuration file in a graphical way use:  a. Visual Editor b. XML Editor c. Page Flow Diagram d. a or b. e. a, b or c.	c