

In order to learn which questions have been answered correctly:

1. Print these pages.
2. Answer the questions.
3. Send this assessment with the answers via:
 - a. FAX to (212) 967-3498.

Or

- b. Mail the answers to the following address:

**SYS-ED
PO Box 1213
New York, NY 10156**

Client contact:

Name:	
Company:	
Address:	
City, State, Zip:	
Phone Number:	
Fax Number:	
E-mail:	

QNO	Question	Answer
1.	<p>A web browser requests a page from a web server by sending the server an HTTP message known as:</p> <ul style="list-style-type: none"> a. HTTP Request b. HTTP Response c. URL d. HTTP Service e. c and d 	
2.	<p>In order to determine what application server is used to process a request, the web server looks up the extension of the requested file from a list of:</p> <ul style="list-style-type: none"> a. Associations b. Server Listings c. Application Mappings d. Extension database e. RDBMS 	
3.	<p>When a user starts a new session, ASP.NET creates a:</p> <ul style="list-style-type: none"> a. Session Map b. Init Map c. Session Server Process d. Session State Object e. None of the above. 	
4.	<p>The extension for an ASP.NET source program is</p> <ul style="list-style-type: none"> a. asp b. asp.net c. aspx d. asp.html e. html 	
5.	<p>The Visual Basic or C# code for a form is stored in a file called :</p> <ul style="list-style-type: none"> a. DLL b. code-behind c. shared library d. steplib e. None of the above 	
6.	<p>The ASP.NET page is compiled only the first time it's requested. After that, the page is run directly from a:</p> <ul style="list-style-type: none"> a. Server b. DLL c. Java program d. VB program e. c or d 	

QNO	Question	Answer
7.	The file which contains setting that affect how an ASP.NET application operates is a. web.config b. iis.properties c. iis.ini d. iis.registry e. None of the above.	
8.	In order to determine whether the contents of a text box is numeric, which control should be used: a. Numeric Check b. Text Check c. Validation d. Textbox event e. None of the above.	
9.	What is the default layout in the Web Forms designer? a. GridLayout b. FlowLayout c. PageLayout d. HTMLLayout e. SplitLayout	
10.	Which page event is invoked when a page is requested by the server? a. Load b. Init c. PreRender d. Unload e. Click	
11.	What is the difference between the method Transfer and Redirect. a. Redirect sends an HTTP redirect message. b. With Transfer the current page is terminated. c. Redirect is less efficient. d. Each is in a different class. e. All of the above.	
12.	In order to add a string to a list box, use the method: a. Insert b. InsertString c. Add d. AddString e. None of the above.	
13.	In a .NET dataset, the object that is used to maintain integrity of the data in a table is a a. Constraint object b. Data relation object c. Collection d. Logs e. All of the above.	

QNO	Question	Answer
14.	<p>In order to load a dataset with data, use the _____ method of the data adapter.</p> <p>a. load b. upload c. copy d. fill e. All of the above.</p>	
15.	<p>In order to get the value of a column in a row, use the method:</p> <p>a. Value b. Item c. ValueOf d. Init e. None of the above.</p>	
16.	<p>An ASP.NET Server page provides reasons when an error occurs in the processing. The section of the report that provides the reason is</p> <p>a. Stack trace b. Reason message section c. Error Message d. SQLCA e. None of the above.</p>	
17.	<p>In order to activate the trace facility for a page, add a Trace attribute to the directive:</p> <p>a. Options b. Trace c. Language d. Page e. None of the above.</p>	
18.	<p>A procedure that is called when a specified event occurs is a(n):</p> <p>a. Callback b. Dynamic call c. Dynamic allocation d. Polymorphism e. Event Handler</p>	
19.	<p>When a Command procedure is invoked, the _____ argument is passed containing the Command Name and other information.</p> <p>a. CommandInfo b. ArgPassed c. InfoPassed d. EventObject e. e</p>	
20.	<p>In order to set textbox to be a multi-line textbox, set the property:</p> <p>a. Single b. Multiple c. TextMode d. MultiLine e. SingleLine</p>	

QNO	Question	Answer
21.	In order to create a static list in a listbox, use the dialog box: a. Item Editor b. ListItem Collection Editor c. Static Editor d. SE e. Use the properties initialization file.	
22.	The text that is used in place of the image when the browser can not display the image is stored in the property: a. ImageUrl b. ImageAlign c. BadImageText d. AlternateText e. SecondaryCaption	
23.	The regular expression operator NOT in a list of characters is: a. ^ b. ! c. # d. \$ e. ~	
24.	In order to disable view state for an entire page, set the EnableViewState to: a. True b. False c. D d. Disable e. c or d	
25.	In order to lock the application state collection so that only the current user can access it, use the method: a. Block b. Sleep c. Latch d. Fetch e. None of the above.	
26.	Which is not an application event? a. Application_Start b. Application_End c. Session_Start d. Session_Wait e. Session_Stop	
27.	_____ column is a numeric column whose value is automatically generated when a row is added to the table. a. Generate b. Identity c. Sequence Number d. Self e. RowID	

QNO	Question	Answer
28.	<p>The ExecuteReader executes a query and places the results as a _____ object.</p> <ul style="list-style-type: none"> a. ResultSets b. Results c. ReadResults d. SqlDataReader e. None of the above. 	
29.	<p>A _____ contains zero or more open connections to a database.</p> <ul style="list-style-type: none"> a. Connection Pool b. Buffer Pool c. Cache d. Connection Collection e. Connection String 	
30.	<p>A query that depends on the values of one or more parameters is a:</p> <ul style="list-style-type: none"> a. Static Query b. Placement Query c. Placeholder Query d. Parameterized Query e. None of the above. 	
31.	<p>The Delete method of a database row marks the row for deletion; the row is not actually deleted until the execution of the following method :</p> <ul style="list-style-type: none"> a. Release b. Update c. Rollback d. Edit e. Complete 	
32.	<p>In order to display a list of items from the data source that it is bound to, use the following control:</p> <ul style="list-style-type: none"> a. Report b. GridReport c. Repeater d. SmartReport e. None of the above. 	
33.	<p>Web services typically contain business logic that is coded as a collection of :</p> <ul style="list-style-type: none"> a. Stored Procedures b. Queries c. Public Methods d. Beans e. a or b 	

QNO	Question	Answer
34.	<p>It is possible to write a program and execute Crystal Reports. When data is retrieved directly from a database, it is referred to as:</p> <ul style="list-style-type: none"> a. Push Model b. Pull Model c. Contributing Model d. Upload Model e. None of the above. 	
35.	<p>In order to create a custom error page, use the:</p> <ul style="list-style-type: none"> a. Try Catch statements b. Application_Error procedure c. customErrors in Web.config d. Page_error procedure e. All of the above. 	